

с14-ес/снрс/рст-401

4455

BOARD DIPLOMA EXAMINATION, (C-14) JUNE-2019

DECE—FOURTH SEMESTER EXAMINATION

ENGINEERING MATHEMATICS-III

Time: 3 hours]

[Total Marks : 80

3×10=30

PART—A

Instructions : (1) Answer all questions.

- (2) Each question carries three marks.
- (3) Answers should be brief and straight to the point and shall not exceed *five* simple sentences.
- 1. Solve $\frac{d^2x}{dt^2} + 5\frac{dx}{dt} + 6x = 0$.
- 2. Solve $(D^3 + D^2 + 4D + 4)y = 0$, where $D \equiv \frac{d}{dx}$.
- **3.** Find the particular integral of $(D^2 + 5D + 6)y = e^x$, where $D \equiv \frac{d}{dx}$.
- **4.** Find the Laplace transform of $t^3 + 5\cos t$.
- **5.** Find the Laplace transform of t^3e^{-3t} .
- 6. Find the inverse Laplace transform of $\frac{s^2 3s + 4}{s^3}$.
- 7. Find the inverse Laplace transform of $\frac{s+2}{(s+1)(s-2)}$.
- **8.** Define Fourier series of a function f(x) in the interval $(0, 2\pi)$

/4455

- **9.** Find the value of a_0 in the Fourier cosine series of f(x) = 1 in the interval (0, 1).
- **10.** A bag contains 9 balls of which 4 are red, 3 are blue and 2 are yellow. The balls are similar in shape and size. A ball is drawn at random from the bag. Find the probability that the ball will be either red or blue.

PART—B

10×5=50

Instructions : (1) Answer any five questions.

- (2) Each question carries ten marks.
- (3) Answers should be comprehensive and the criterion for valuation is the content but not the length of the answer.

11. (a) Solve
$$(D^2 + 36)y = \sin^2 x$$
, where $D \equiv \frac{d}{dx}$.
(b) Solve $(D^2 - D - 2)y = 3e^{2x}$, where $D \equiv \frac{d}{dx}$.

12. Solve
$$(D-2)^2 y = 8(e^{2x} + \sin 2x + x^2)$$
, where $D = \frac{d}{dx}$.

13. (a) Find the Laplace transform of $\frac{1-e^t}{t}$. (b) If $L\left\{\frac{\sin t}{t}\right\} = \tan^{-1}\frac{1}{s}$, find $L\left\{e^t\frac{\sin 3t}{t}\right\}$

14. (a) Show that
$$L^{-1}\left\{\frac{1}{s(s^2+a^2)}\right\} = \frac{1-\cos at}{a^2}$$
.

(b) Using Laplace transform method, solve y''+y=t, if y(0)=1and y'(0)=0.

15. Expand $f(x) = x - x^2$, $-\pi < x < \pi$ in a Fourier series and hence deduce that $\frac{1}{1^2} - \frac{1}{2^2} + \frac{1}{3^2} - \frac{1}{4^2} + \dots = \frac{\pi^2}{12}$.

/4455

- **16.** Obtain the Fourier series for $f(x) = \frac{\pi x}{2}$ in $0 \le x \le 2$.
- **17.** Two students *A* and *B* appeared in an examination. The probability that *A* will qualify the examination is 0.05, *B* will qualify the examination is 0.10 and that both *A* and *B* will qualify the examination is 0.02. Find the probability that *(a)* both *A* and *B* will not qualify the examination, *(b)* at least one of them will not qualify the examination and *(c)* only one of them will qualify the examination.
- **18.** (a) If A and B are independent events with P(A) = 0.2 and P(B) = 0.5, then find (i) P(B/A), (ii) P(A/B) and (iii) $P(A \cap B)$.
 - (b) In a certain college, 25% of the boys and 10% of the girls are studying Mathematics. The girls constitute 60% of the student strength. If a student at random is found studying Mathematics, find the probability that the student is a girl.