



C14-M-303

4251

BOARD DIPLOMA EXAMINATION, (C-14)

MARCH/APRIL—2017

DME—THIRD SEMESTER EXAMINATION

BASIC ELECTRICAL AND ELECTRONICS ENGINEERING

Time : 3 hours]

[Total Marks : 80

PART—A

3×10=30

Instructions : (1) Answer **all** questions.

(2) Each question carries **three** marks.

(3) Answer should be brief and straight to the point and shall not exceed *five* simple sentences.

1. Define Ohm's law and calculate the value of resistance of the filament of a bulb of 230 V and 5 A.

2. Define Lenz's law.

3. State Fleming's right-hand rule.

4. List the applications of DC motors.

5. Define the following terms related to sinusoidal AC wave :

(a) Instantaneous value

(b) Time period

6. Define turns ratio and voltage transformation ratio of a transformer.

- * 7. Explain about polyphase system.
8. Write short notes on P-type and N-type semiconductors.
9. What are the effects of electric shock and burn in a human body?
10. What are the precautions to be taken while working on electrical equipment?

PART—B

10×5=50

Instructions : (1) Answer *any five* questions.
 (2) Each question carries **ten** marks.
 (3) Answers should be comprehensive and the criterion for valuation is the content but not the length of the answer.

11. (a) Distinguish between dynamically induced e.m.f. and statically induced e.m.f. 5
- (b) An air-cored circular coil having an internal diameter of 5 cm is wound uniformly with 300 turns. Calculate the self-inductance of the coil if its mean length is 80 cm. 5
12. (a) Derive an expression for the total resistance when three resistances R_1 , R_2 and R_3 are connected in series. 5
- (b) The effective resistance of two resistances when connected in series across 200 V supply is 50 . If the voltage drop across one of the resistance is 80 V, find the values of two resistances. 5
- * 13. (a) Briefly explain the working principle of a DC motor. 5
- (b) State the relation between currents and voltages for DC shunt and series generators. 5

- * 14. (a) Draw a neat sketch of a three-point starter used in DC motors. 5
- (b) With a neat sketch, describe the functionality of DOL starter used in three-phase induction motors. 5
15. A series circuit having a resistance of 40Ω , capacitance of $20 \mu\text{F}$ and inductance of 0.2 H , is connected across 110 V , 50 Hz supply. Calculate (a) impedance, (b) current and (c) power factor. 10
16. Explain the constructional features of (a) squirrel-cage induction motor and (b) slip-ring induction motor. 10
17. (a) Explain the operation of *N-P-N* transistor with neat diagram. 5
- (b) Explain the operation of LCD with neat sketch. 5
18. Explain the constructional details and the working principles of a moving-coil ammeter with neat sketch. 10
