DISTAR

6244

BOARD DIPLOMA EXAMINATIONS

OCT/NOV-2019

DME – THIRD SEMESTER

THERMAL ENGINEERING - I

Time: 3 hours

3.

PART – A

arks: 80 3X10 = 30M

Instructions: 1. Answer all questions.

- 2. Each question carries five marks.
- 3. Answer should be brief and straight to the point and shall not exceed five simple sentences.

1. State the terms involved in the equation
$$Cp = \frac{\gamma R}{\gamma - 1}$$

- Define the following properties 2.
 - (1) Density
 - Temperature State the clausius and kelvin – plank statement of second law
 - thermodynamics.
- Why Isothermal process is often regarded as hyperbolic process. 4.
- Write an expression for change in entropy during constant pressure process. 5.
- Differentiate Otto and Diesel cycles in terms of 6. (a) Heat addition and (b) Applications

List out the various components of an I.C. Engine.

- Differentiate the internal combustion engine with external Combustion engine.
- List out various pollutants from an I.C. Engine. 9.
- 10. Draw PV diagram for a single stage reciprocating compressor Without clearance.

[Cont...

PART - B

Instructions:

- 1. Answer any *Five* questions
 - 2. Each question carries **TEN** Marks.
 - 3. Answer should be comprehensive and Criteria for Valuation is the content but not the length of the answer.
 - 4. Assume data wherever necessary for air R=0.287 kJ/Kg k DISTA $\gamma = 1.4$, if not specified.
- 11. a) State Joule's Law and Renault's Law.
 - b) The value of an adiabatic index of a certain gas is 1.4 and its specific heat at constant volume 0.65 kJ/kg k. Determine the gas constant.
- 12. a) Define the reversible and irreversible process and mention the conditions for reversibility of a process.
 - b) A water manometer shows a pressure, in a vessel of 400mm below atmospheric pressure. If the atmospheric pressure is measured as 763 mm Hg. Determine absolute pressure in the vessel in kN/m^2 .
- In a steady flow open system, a fluid substance flows at the rate of 13. 4 kg/sec. It enters the system at a pressure of 600 kN/m^2 , a velocity of 220 m/Sec, internal energy 2200 kJ/kg and specific volume 0.42 m³/kg. It leaves the system at a pressure of 150 kN/m², a velocity of 145m/sec, internal energy 1650 kJ/kg and specific volume 1.5m³/kg. During its passage through the system, the substance has a loss by heat transfer of 40 kJ/kg to the surroundings. Determine the power of system, whether it is from or to the system. Neglect any change of gravitational potential energy.

- Write any five differences between 14.
 - a) Adiabatic and Isentropic Processes.
 - b) Isenthalpic and Throttling Processes.
- 15. a) A Diesel engine has a bore of 200 mm and stroke of 320 mm. b) An engine working on Otto cycle has a compression ratio of 6. Find the air – standard efficiency of the cycle.
 What are different methods adopted in cooling of a value of a valu
- 16. What are different methods adopted in cooling of an LC engine. Explain in details FR
- 17. Explain the principle of Morse test and State its applications.
- 18. Explain the working of following Rotary Compressors with line diagram.
 - a) Centrifugal Compressor
- A.A.M.M&V.V.R.S.R.POLY b) Axial Flow type Compressor