

C16-CM-304/C16-IT-304

6230

BOARD DIPLOMA EXAMINATION, (C-16) OCT/NOV-2018

DCME—THIRD SEMESTER EXAMINATION

DATA STRUCTURES THROUGH C


Time: 3 hours [Total Marks: 80

PART—A


 $3 \times 10 = 30$

Instructions: (1) Answer **all** questions.

- (2) Each question carries **three** marks.
- (3) Answers should be brief and straight to the point and shall not exceed *five* simple sentences.
- 1. What are primitive and non-primitive data structures?
- 2. Find the time complexity of linear search algorithm.
- 3. List the differences between arrays and linked lists.
- **4.** What is linked list?
- **5.** Write down the necessary statements required to insert 'temp node' between the nodes p and q:



- **6.** What is queue? List the applications of queues.
- **7.** For the following tree, identify height of the tree, root node and leaf nodes:



- **8.** What is tree traversal? List the different traversal techniques of a binary tree.
- **9.** What is sorting? List different methods of sorting.
- **10.** Specify the best suitable search technique when the list contains large number of elements in sorted order along with reason.

PART—B $10 \times 5 = 50$

Instructions: (1) Answer any five questions.

- (2) Each question carries ten marks.
- (3) Answers should be comprehensive and the criterion for valuation is the content but not the length of the answer.
- 11. Write a C program to create and display a singly-linked list.
- 12. Write a C program to implement queue using linked list.
- **13.** Write a C program to convert given infix expression to postfix notation.
- 14. Write an algorithm that will reverse the given doubly-linked list.

- 15. Write an algorithm to find given element in the binary tree.
- 16. Construct a binary tree with given tree traversals:

In-order traversal : 1, 2, 3, 4, 5, 6, 7 Post-order traversal : 1, 3, 2, 5, 7, 6, 4

- **17.** Write a C program to merge two sorted arrays into a single sorted array.
- **18.** (a) Write an algorithm for insertion sort.
 - (b) Compare linear search with binary search.

* * *